

Non-galliform birds' attraction to soil mounds outside Chinese pangolin burrows

Wei Liu | ORCID: 0000-0003-3802-4676

College of Life Sciences, Henan Normal University, Xinxiang, Henan 453007, China

Yellow River Ecological Engineering Technology Research Center of Henan

Province, Xinxiang, Henan 453007, China

2019117@htu.edu.cn

Xiaoxiao Nie | ORCID: 0009-0000-8779-8120

College of Life Sciences, Henan Normal University, Xinxiang, Henan 453007, China

Xiaopin Zhu

College of Life Sciences, Henan Normal University, Xinxiang, Henan 453007, China

Xuanxuan Liu

College of Life Sciences, Henan Normal University, Xinxiang, Henan 453007, China

Yanbin Huang

Management Bureau of Fujian Junzifeng National Nature Reserve, Sanming, Fujian

Province 353000, China

Haiping ShangGuan

Management Bureau of Fujian Junzifeng National Nature Reserve, Sanming, Fujian

Province 353000, China

Wenhao Zeng

Management Bureau of Fujian Junzifeng National Nature Reserve, Sanming, Fujian

Province 353000, China

Ning Guo

Wildlife Protection Center of Fujian Province, Fuzhou, Fujian 350000, China

Mingle Shi

Wildlife Protection Center of Fujian Province, Fuzhou, Fujian 350000, China

Yong Zhang

Fujian Forestry Survey and Planning Institute, Fuzhou, Fujian 35000, China

Yanping Xie

College of Life Sciences, Huaibei Normal University, Huaibei, Anhui 235000, China

Fei Yu

College of Life Sciences, Henan Normal University, Xinxiang, Henan 453007, China

Yellow River Ecological Engineering Technology Research Center of Henan

Province, Xinxiang, Henan 453007, China

yufei@htu.cn

Supplementary material