

Cryptic but direct costs of an epidemic caused by *Batrachochytrium dendrobatidis* in the endangered Sardinian newt *Euproctus platycephalus*
(Amphibia, Caudata)

Giulia Tessa^{1,*}, Giuseppe Sotgiu¹, Stefano Bovero¹, Claudio Angelini¹, Marco Favelli¹, Enrico Gazzaniga¹, Cristina Giacomà², Trenton W.J. Garner³

1 - NGO Zirichiltaggi Sardinia Wildlife Conservation, strada vicinale Filigheddu 62/c, 07100 Sassari, Italy

*Corresponding author; e-mail: giulia.tessa@gmail.com

2 - Dipartimento di Scienze della Vita e Biologia dei Sistemi, Università degli Studi di Torino, via Accademia
Albertina13, 10123 Torino, Italy

3 - The Institute of Zoology, The Zoological Society of London, Regent's Park, London NW1 4RY, UK

ORCID iD: Tessa: 0000-0002-3881-825X

Supplementary Material

Table S1. *E. platycephalus* data at the two infected sites, in the different years, split by sex. We indicated sample sizes (n = number of newts measured for SVL and tested for infection), body length (SVL values are mean $\pm$ standard deviation and range), mean age post-metamorphosis (LAG values are mean $\pm$ standard deviation, range and sample sizes for skeletochronology) and *Bd* prevalence.

Site	Year	Sex	n	SVL (mm)	LAGs	<i>Bd</i> Prevalence (%)
Rio Fica Bianca	2007	males	n = 34	55.3 $\pm$ 4.6	5.7 $\pm$ 1.6	0%
				50-66	4-9 (n = 26)	
		females	n = 20	49.6 $\pm$ 4.7	5.1 $\pm$ 1.2	0%
				43-56	4-7 (n=13)	
	2008	males	n = 20	56.7 $\pm$ 4.6	7.6 $\pm$ 2.0	5%
				50-66	6-12 (n = 15)	
		females	n = 9	50.3 $\pm$ 2.9	6.0 $\pm$ 0.0	0%
				47-52	6 (n = 3)	
	2010	males	n = 8	55.8 $\pm$ 3.4	8.4 $\pm$ 2.4	25%
				52-61	6-12 (n = 7)	
		females	n = 8	49.4 $\pm$ 2.5	6.7 $\pm$ 1.1	37.5%
				45-52	6-8 (n = 7)	
	2011	males	n = 1	59.0 $\pm$ 0.0	12.0 $\pm$ 0.0	0%
				59	12 (n=1)	
Rio Pisciaroni	2008	males	n = 20	64.5 $\pm$ 4.1	8.4 $\pm$ 1.8	60.0%
				55-70	6-14 (n = 20)	
		females	n = 14	52.9 $\pm$ 4.2	7.2 $\pm$ 1.9	85.7%
				46-60	5-12 (n = 14)	
	2009	males	n = 4	56.2 $\pm$ 6.3	7.0 $\pm$ 2.4	25.0%
				50-65	5-10 (n = 4)	
		females	n = 4	54.5 $\pm$ 3.9	6.0 $\pm$ 1.0	0%
				49-58	5-7 (n = 4)	
	2010	males	n = 49	60.35 $\pm$ 3.8	8.5 $\pm$ 3.1	18.4%
				44-68	5-15 (n = 28)	
		females	n = 28	49.7 $\pm$ 2.8	6.2 $\pm$ 2.6	32.1%
				46-57	6-13 (n = 18)	
	2011	males	n = 41	60.0 $\pm$ 4.4	7.9 $\pm$ 2.5	19.5%
				51-72	4-14 (n = 23)	
		females	n = 21	50.2 $\pm$ 2.3	5.9 $\pm$ 1.2	38.1%
				47-56	5-8 (n = 16)	